




The Best Tools For You!

147PC Tool Chest

-Small in size, Perfect in detail.



Black



Red



Size of tool chest:
285(L)x155(W)x150(H)mm

SPECIAL METAL CASE



Heavy Duty Tool Chest

The case with 1.2mm in thickness of metal sheet which will not be damaged easily by any collision caused in falling or hitting.



Continuous Hinge

Comparing with the general metal case which only uses 2 to 4 hinges for the connections. Continuous hinge gives stronger holds and is not easily to be broken.

EVA LAYER

- Tools are embedded in the EVA layer firmly.
- Dual-color inlay distinguishes missing tools.
- Easy to pick up.
- Keep all tools neatly positioned.

32PC 1/4"DR. SOCKET SET



105 BIT SET (1/4" x 25 mm in length)






10PC TOOL SET






LAYER1.

32PC 1/4"DR. SOCKET SET

 SOCKETS	▶ 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	13
 DEEP SOCKETS	▶ 5, 6, 7, 8, 9, 10, 11, 12 mm	8
 E-TYPE SOCKETS	▶ E4, E5, E6, E7, E8	5
RATCHET KH3000	▶ 60 teeth	1
EXTENSION BARS	▶ 50, 150 mm	2
UNIVERSAL JOINT		1
SPINNER HANDLE		1
T-HANDLE		1



Corner Free Socket Design

Reduces the fastener rounding by dispersing notches more evenly over the tools and the fastener and gives added torque by radius design.



FUNCTIONS.



KH3000[®] Ratchet



60 Teeth With 6 Degree Action Arc

Provides extremely high torque for professional users.



Reversible Lever Switch

Reversible lever switch is easy to alter the action direction.



Quick Release

Simply push the release button with one thumb. Users can replace sockets quickly and easily.



Ergonomic Design Handle

Ratchet handle is designed to facilitate action and provide great comfort while in use.



FUNCTIONS.



Spinner Handle

- (A) Working as screwdriver for flexible use.
- (B) Using go through type spinner handle with ratchet handle helps users to enhance the power of spinner handle.



T-handle

- Using both hands to get more power for further final tightening and first step of releasing.



Extension Bars

- (A) Extension bar makes it easy to work on deep set fasteners.
- (B) Applying with combination wrench or adjustable wrench in hexagonal outer shank.



Universal Joint

- The screw type of Universal Joint with bending angle in 90 degree allows access to limited working space.



LAYER2.


105PC BIT SET

102 Bit (1/4" x 25 mm in length)

+	PHILLIPS	▶ # 0, 1, 2, 2(R), 3, 4	6
+	PHILLIPS(ACR)	▶ # 1, 2, 2(R), 3	4
■	SQUARE	▶ RB-0, 1, 2, 3, 4	5
⊙	SPANNER	▶ U-4, 6, 8, 10, 12	5
—	SLOTTED	▶ 3, 3.5, 4.5, 5, 5.5, 6.5 mm	6
*	POZIDRIV	▶ # 0, 1, 2, 3, 4	5
*	POZIDRIV(ACR)	▶ # 1, 2, 3	3
+	TORQ-SET	▶ TS-1/4", 4, 6, 8, 10	5
⊙	TORX	▶ T-5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40, 45, 50	14
⊙	TORX(TAMPER)	▶ T-6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40	11
▽	TRI-WING	▶ TW-1, 2, 3, 4, 5	5
⊙	CLUTCH	▶ C-5/32, 3/16, 1/4	3
⊙	HEX	▶ 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8 mm	10
⊙	HEX(TAMPER)	▶ 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8 mm, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	16
⊙	SPLINE	▶ M4, M5, M6, M8	4
	COUPLER FOR BIT		1
	MAGNETIC BIT HOLDER		1
	BITS FOR HOOKS		1



FUNCTIONS.



Magnetic Bit Holder

- Magnetic function
- Backward for releasing
- 60mm in length

Coupler

Connect Ratchet handle and bits.



Bits

- S-2 material
- Hardness 58-62 HRC
- 1/4" x 25mm in length
- Phosphoric acid Zinc surface treatment.



LAYER3.

10PC TOOL SET

9PC LONG BALL POINT HEX KEY SET	▶ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	9
ADJUSTABLE WRENCH 200 mm		1



FUNCTIONS.




Adjustable Wrench

- Drop-forged high grade chrome vanadium steel.
- Precision jaw with hardened and heat treated for durability and accuracy contact with fastener.



Long Ball Point Hex Key Set

- Manufactured from chrome vanadium steel hardened and tempered finish.
- The ball type hexagon tip allows the key to be used up to 25° angle from the screw head recess.





One Stop, All Services

You can trust A-Kraft, we Deliver!!



A-KRAFT Tools Manufacturing Co., Ltd.

No.21-1, Lane 557, Jhongheng Rd., Wufong Dist., Taichung City 41359, Taiwan
Tel: 886-4-23327908 (Rep.) / Fax: 886-4-23327918 / E-mail: akraft@ms24.hinet.net / Web site: www.akraft.com.tw