



**A-KRAFT TOOLS**  
The Best Tools For You!



**UNIQUE!!** *All In 1*  
Expert Jumbo Socket Set  
**65PC 1/4"+1/2"+3/4"DR.**

ITEM NO. 911265

All in 1 Expert Jumbo Socket Set  
65PC 1/4"+1/2"+3/4"DR.

## Contents

- 1/4" 6.3 mm** 12- 1/4"DR. Sockets: 4, 5.5, 6, 7, 8, 9, 10, 11, 12 mm.  
3/16", 1/4", 5/16".
- 8- 1/4"DR. Accessories: Ratchet KH2400,  
Extension bars: 50, 150 mm, Spinner handle,  
Flex handle, Sliding T-handle, Universal joint, Cross bar.
- 1/2" 12.5 mm** 26- 1/2"DR. Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19,  
20, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm.  
3/8", 1/2", 9/16", 11/16", 1".
- 8- 1/2"DR. Accessories:  
Ratchet handle KH2400,  
Extension bars: 75, 125, 250 mm,  
Flex handle, Sliding T-handle, Universal joint, Cross bar.
- 3/4" 20 mm** 9- 3/4"DR. Sockets: 26, 27, 29, 30, 32, 35, 36, 38, 41 mm.  
2- 3/4"DR. Accessories:  
Extension bar 200 mm, Ratchet HP24-6.

Blow Mold Case 526 x 347 x 90 mm

All products are made from high grade chrome vanadium steel with hardened and tempered.





## 3 SQUARE DRIVES SOCKET SET



This set covers most popular items of hand tools products, including 1/4"DR., 1/2"DR. and 3/4"DR.. The sizes of sockets start from 4 mm to 41 mm, extension bars from 50 mm to 250 mm, 3 professional reversible ratchets, 2 flex head handles 135 mm and 380 mm., etc.

All In 1 Expert Jumbo Socket Set  
65PC 1/4"+1/2"+3/4"DR.

## Sockets

Size

  12- 1/4" DR. Sockets: 4, 5.5, 6, 7, 8, 9, 10, 11, 12 mm.  
3/16", 1/4", 5/16".


  26- 1/2" DR. Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19,  
20, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm.  
3/8", 1/2", 9/16", 11/16", 1".

  9- 3/4" DR. Sockets: 26, 27, 29, 30, 32, 35, 36, 38, 41 mm.

Free Corner Drive sockets:



- \* The free corner design drives the side of the hex of the fastener, not the corner of the hex.
- \* Firm and secure grip on walls of hexagon.
- \* Corners remaining free and not being damaged.
- \* Extremely high torque can be applied.



GIVEN ADDED TORQUE





## Extension Bars

Size

  2- 1/4" DR. Extension bars: 50, 150 mm

  3- 1/2" DR. Extension bars: 75, 125, 250 mm

  1- 3/4" DR. Extension bar 200 mm

Function:

- \* Extension bars can be worked with ratchets or other accessories to extend the working areas, especially for using in a very narrow and confined depth workplace where the other tools can not reach.



# Ratchet Handle

Size

1/4" 63mm 1- 1/4"DR. Ratchet: KH2400

1/2" 125mm 1- 1/2"DR. Ratchet: KH2400

3/4" 20mm 1- 3/4"DR. Ratchet: HP24-6

## KH2400 Rathcet


Features:

- \* Extremely high torque provided by special gear structure design.
- \* 50% more in life time compared with normal type ratchet.
- \* Quick Release with Recessed thumb operated forward / reverse lever.
- \* New ergonomic handle ensure the use in comfort apply the optimal torque.

### Gear Force Distribution

KH2400 RATCHET

Normal Type RATCHET



The Complete Big Pawl Smoothly distributes extremely high torque of gear force directly to the ratchet wall. The big pawl also offers 50% longer operation time in comparison to normal type pawl, based on the Dynamic load test.

Normal Type Pawl, riveted, with no heat-treated pin in the middle, distributes the gear force indirectly to the ratchet wall, which reduces torque and operation time.

## HP-24-6 Ratchet

Features:

- \* Locking device holds sockets and attachments securely.
- \* Recessed thumb operated forward / reverse lever.
- \* Ratchet head is made of high grade Chrome Molybdenum steel which is the best material for gear products to get extremely high torque and extended the life time.



High Grade **Chrome Molybdenum Steel**



Quick Release



## Flex Handle



Size

  1- 1/4"DR. Flex handle


  1- 1/2"DR. Flex handle

Function:

- \* Multiplies your force to get things moving fast.
- \* Confined area is reached easily.





180° Flexible head



Works with Cross bar

## Cross Bar

Size

  1- 1/4"DR. Cross bar

  1- 1/2"DR. Cross bar

Function:

- \* Working with flex handle as a T-handle.

## Spinner Handle

Size

  1- 1/4"DR. Spinner handle



Function:



- \* The super grip handle fits neatly into the palm of the user's hand, includes a tapered neck and finger grips which provides extra comfort in use.
- \* The square drive at the end of handle can be worked with ratchet handle or other accessories for excellent power transmission.



## Sliding T-handle


Size

  1- 1/4"DR. Sliding T-handle

  1- 1/2"DR. Sliding T-handle


Function:


- \* Using both hands to get more power for further final tightening or first step of releasing.
- \* Every production step is accompanied by a comprehensive control procedure guaranteeing the precision and consistency of the quality and providing extremely high torque, 50 % more than DIN standard.



## Universal Joint


### Size

 1- 1/4"DR. Universal joint

 1- 1/2"DR. Universal joint

### Function:

\* Universal Joint with bending angle in 90 degree allows to access into limited areas when operates with sockets, accessories and ratchet handles.



## Blow Mold Case

### Features:

- \* Great-looking of blow mold case is definitely your perfect choice with fabulous characteristics of stylish design, long-lasting durability and practicality!
- \* The mold through professional and precise design makes the contents inside the case which will be kept in place when carrying the box.



**Buckle**



**Anti-slip Grab Ditches**



**Customized Logo**



One Stop, All Services

*You can trust A-Kraft, we Deliver!!*



**A-KRAFT Tools Manufacturing Co., Ltd.**

No.21-1, Lane 557, Jhongjheng Rd., Wufong Dist., Taichung City 41359, Taiwan

Tel: 886-4-23327908 (Rep.) / Fax: 886-4-23327918 / E-mail: [info@akraft.com.tw](mailto:info@akraft.com.tw) / Web site: [www.akraft.com.tw](http://www.akraft.com.tw)